

## **Test Report**

號碼(No.): EKR25100119 日期(Date): 17-Jan-2025 頁數(Page): 1 of 10

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted Bv)

: 國巨股份有限公司 (YAGEO CORPORATION)

樣品名稱(Sample Name)

: MULTI-LAYER CERAMIC CAPACITOR

樣品型號(Style/Item No.)

X7R/X7S/X8R

收件日(Sample Receiving Date)

02-Jan-2025

測試期間(Testing Period)

: 02-Jan-2025 to 17-Jan-2025

測試需求(Test Requested)

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎬、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results)

結 論(Conclusion) :

請參閱下一頁 (Please refer to following pages.)

(1) 根據客戶所提供的樣品,其鎬、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP,

BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

amending Annex II to Directive 2011/65/EU.)

報告簽署人/張伯睿 博士/部 图理**SGS**Ray Chang, Ph.D./ Department Manager
Signed for and on behali SGS TAIWAN LTD.

化學實驗室-高雄/Chemical Laboratory-Kaohsiung



PIN CODE: 5ED36A05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot experience and this document and this document and this document period on the company. The company is a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# **Test Report**

號碼(No.): EKR25100119 日期(Date): 17-Jan-2025 頁數(Page): 2 of 10

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

#### 測試部位敘述 (Test Part Description)

No.1 : 棕色/銀色 MULTI-LAYER CERAMIC CAPACITOR (BROWN/SILVER MULTI-LAYER CERAMIC

CAPACITOR)

#### 測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
	發射光譜儀分析。(With reference to IEC				
鉛 (Pb) (Lead (Pb))	62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013 + AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013 + AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI))	參考IEC 62321-7-2: 2017·以紫外光-可見 光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)	參考IEC 62321-6: 2015·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	ı	n.d.	1000



# **Test Report**

號碼(No.): EKR25100119 日期(Date): 17-Jan-2025 頁數(Page): 3 of 10

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)	] *参考IEC 62321-6: 2015·以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 02321-0. 2015 · 以無相層和儀/員   譜儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)	GC/1VI3.)	mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP))					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate		mg/kg	50	n.d.	1000
(DBP))					1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.	1000
pritrialate (DIBP))	•	mg/kg	50	n.d.	1000
ethylhexyl) phthalate (DEHP))		mg/kg	30	11.0.	1000
		mg/kg	50	n.d.	_
phthalate (DINP)) (CAS No.: 28553-12-0,	<b>⇔</b> ★150 0221 0 2017 以与45尺长/55	1119, 119	30	11.0.	
68515-48-0)	参考IEC 62321-8: 2017 · 以氣相層析儀/質				
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl	譜儀分析。(With reference to IEC 62321-	mg/kg	50	n.d.	-
phthalate (DIDP)) (CAS No.: 26761-40-0,	8: 2017, analysis was performed by	3 3			
68515-49-1)	GC/MS.)				
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.	-
phthalate (DNOP)) (CAS No.: 117-84-0)					
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl		mg/kg	50	n.d.	-
phthalate (DNHP)) (CAS No.: 84-75-3)		/1	F 2	1	
鄰苯二甲酸二正戊酯 (DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0)		mg/kg	50	n.d.	-
		mg/kg	50	n.d.	_
(Bis(2-methoxyethyl) phthalate (DMEP))		mg/kg	30	11.U.	-
(CAS No.: 117-82-8)					



# **Test Report**

號碼(No.): EKR25100119 日期(Date): 17-Jan-2025 頁數(Page): 4 of 10

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582:	mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)	2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
三氧化二銻(Sb <sub>2</sub> O <sub>3</sub> ) (Antimony trioxide (Sb <sub>2</sub> O <sub>3</sub> )) (CAS No.: 1309-64-4)	由銻結果計算得之。(Calculated from the result of Antimony.)	mg/kg	2▲	n.d.	-

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.)

換算公式 (Conversion Formula): AX = A × F

AX	A	F
三氧化二銻 (Antimony trioxide) (Sb <sub>2</sub> O <sub>3</sub> )	銻 (Antimony)	1.1971

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region\_TW/DocDownload.aspx?name=Others

6. 除非另有說明,參照ILAC-G8:09/2019決定規則,採用簡單允收規則之二分法(w=0)進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



## **Test Report**

號碼(No.): EKR25100119 日期(Date): 17-Jan-2025


頁數(Page): 5 of 10

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

#### 重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)






# **Test Report**

號碼(No.): EKR25100119 日期(Date): 17-Jan-2025

頁數(Page): 6 of 10

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

#### 多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART






# **Test Report**

號碼(No.): EKR25100119 日期(Date): 17-Jan-2025 頁數(Page): 7 of 10

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

#### 可塑劑分析流程圖 / Analytical flow chart of phthalate content

【測試方法/Test method: IEC 62321-8】






# **Test Report**

號碼(No.): EKR25100119 日期(Date): 17-Jan-2025 頁數(Page): 8 of 10

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

#### 鹵素分析流程圖 / Analytical flow chart of Halogen





## **Test Report**

號碼(No.): EKR25100119 日期(Date): 17-Jan-2025 頁數(Page): 9 of 10


國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

#### 元素(含重金屬)分析流程圖 / Analytical flow chart of Elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051、US EPA 3052】



\* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.



# **Test Report**

號碼(No.): EKR25100119


日期(Date): 17-Jan-2025

頁數(Page): 10 of 10

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

## EKR25100119



\*\* 報告結尾 (End of Report) \*\*