

Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 1 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) : 國巨股份有限公司 (YAGEO CORPORATION) 樣品名稱(Sample Name) : MULTI-LAYER CERAMIC CAPACITOR

樣品型號(Style/Item No.) : NPO/X5R/X7R/X6S/X7S/Y5V/X8G/X8R SERIES

收件日(Sample Receiving Date) : 02-Jan-2025

測試期間(Testing Period) : 02-Jan-2025 to 17-Jan-2025

測試需求(Test Requested) : 依據客戶指定,測試 PAHs 及其他測項。 (As specified by client, to test PAHs and

other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結 論(Conclusion) : 根據客戶所提供的樣品,多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS

PAHs第 3 類「其它產品」之限值要求。(Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3)「Other consumer products」 as set by

German Committee on Product Safety (AfPS) GS PAHs.)

報告簽署人/張伯睿 博士/部 報告簽署人/張伯睿 博士/部 Ray Chang, Ph.D./ Department Manager Signed for and on behali SGS TAIWAN LTD. 化學實驗室-高雄/Chemical Laboratory-Kaohsiung CHECK PEPORT

PIN CODE: FE85F772



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 2 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 棕色/銀色 MULTI-LAYER CERAMIC CAPACITOR (BROWN/SILVER MULTI-LAYER CERAMIC

CAPACITOR)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛酸及其鹽類 (PFOA and its salts) (Perfluorooctanoic acid and its salts (PFOA and its salts)) (CAS No.: 335-67-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
鉻 (Cr) (Chromium (Cr)) (CAS No.: 7440-47-3)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
碲 (Te) (Tellurium (Te)) (CAS No.: 13494-80-9)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
鈦 (Ti) (Titanium (Ti)) (CAS No.: 7440-32-6)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	6290	-
鈷 (Co) (Cobalt (Co)) (CAS No.: 7440-48-4)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 3 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
鉈 (Tl) (Thallium (Tl)) (CAS No.: 7440- 28-0)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
飶 (Bi) (Bismuth (Bi)) (CAS No.: 7440-69-9)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
砷 (As) (Arsenic (As)) (CAS No.: 7440-38-2)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
硒 (Se) (Selenium (Se)) (CAS No.: 7782-49-2)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
石綿 (Asbestos)					
陽起石綿 (Actinolite) (CAS No.: 77536- 66-4)	☆ 大下 D. COO (D. OO (11 C. 1000) 八十	-	-	Negative	-
褐石綿/鐵石綿 (Amosite) (CAS No.: 12172-73-5)	參考EPA 600/R-93/116: 1993 · 以立體顯微鏡(SM)與分散染色式偏光顯微鏡(DS-	-	-	Negative	-
斜方角閃石綿 (Anthophyllite) (CAS No.: 77536-67-5)	PLM)及X光繞射光譜分析法(XRD)分析。 (With reference to EPA 600/R-93/116:	-	-	Negative	-
白石綿/溫石綿 (Chrysotile) (CAS No.: 12001-29-5)	1993, analysis was performed by Stereo Microscope (SM), Dispersion Staining	-	-	Negative	-
青石綿 (Crocidolite) (CAS No.: 12001- 28-4)	Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer	-	-	Negative	-
透閃石綿 (Tremolite) (CAS No.: 77536- 68-6)	(XRD).)	-	-	Negative	-
紅磷 (Red Phosphorus)	以熱裂解-氣相層析儀/質譜儀分析。 (Analysis was performed by Pyrolyzer- GC/MS.)	**	-	Negative	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025

頁數(Page): 4 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
多環芳香烴 (Polycyclic Aromatic					
Hydrocarbons) (PAHs)					
苯駢(a)芘 (Benzo[a]pyrene) (CAS No.:	l u	mg/kg	0.2	n.d.	Δ
50-32-8)					
苯駢(e)芘 (Benzo[e]pyrene) (CAS No.:		mg/kg	0.2	n.d.	Δ
192-97-2)					
苯駢蒽 (Benzo[a]anthracene) (CAS No.:		mg/kg	0.2	n.d.	Δ
56-55-3)					
苯(b)苯駢芴 (Benzo[b]fluoranthene)		mg/kg	0.2	n.d.	Δ
(CAS No.: 205-99-2)					
苯(j)苯騈芴 (Benzo[j]fluoranthene) (CAS		mg/kg	0.2	n.d.	Δ
No.: 205-82-3)					
苯(k)苯駢芴 (Benzo[k]fluoranthene)		mg/kg	0.2	n.d.	Δ
(CAS No.: 207-08-9)	參考AfPS GS 2019:01 PAK,以氣相層析儀				
菌 (Chrysene) (CAS No.: 218-01-9)	/質譜儀分析。(With reference to AfPS GS	mg/kg	0.2	n.d.	Δ
二苯駢蒽 (Dibenzo[a,h]anthracene)	2019:01 PAK, analysis was performed by	mg/kg	0.2	n.d.	Δ
(CAS No.: 53-70-3)	GC/MS.)				
苯駢菲 (Benzo[g,h,i]perylene) (CAS No.:		mg/kg	0.2	n.d.	Δ
191-24-2)					
茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS		mg/kg	0.2	n.d.	Δ
No.: 193-39-5)					
蒽 (Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	Δ
苯駢芴 (Fluoranthene) (CAS No.: 206-		mg/kg	0.2	n.d.	Δ
44-0)					
菲 (Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	Δ
芘 (Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	Δ
萘 (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	Δ
多環芳香烴15項總和 (Sum of 15 PAHs)		mg/kg	-	n.d.	Δ
苊烯 (Acenaphthylene) (CAS No.: 208-	參考AfPS GS 2019:01 PAK · 以氣相層析儀	mg/kg	0.2	n.d.	-
96-8)	/質譜儀分析。(With reference to AfPS GS				
苊 (Acenaphthene) (CAS No.: 83-32-9)	2019:01 PAK, analysis was performed by	mg/kg	0.2	n.d.	-
芴 (Fluorene) (CAS No.: 86-73-7)	GC/MS.)	mg/kg	0.2	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 5 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
/#/= th.W. (4.70 D				No.1	
偶氮染料 (AZO Dyes)	# */ FCD D// D 00 00 0 0010 N/E-IIIE	4			
對-胺基聯苯 (4-Aminobiphenyl) (CAS No.: 92-67-1)	參考LFGB BVL B 82.02-2: 2013.以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
聯苯胺 (Benzidine) (CAS No.: 92-87-5)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
4-氯鄰甲苯胺 (4-chloro-o-toluidine) (CAS No.: 95-69-2)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
2-萘胺 (2-Naphthylamine) (CAS No.: 91-59-8)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
鄰-胺基偶氮甲苯 (o-aminoazotoluene) (CAS No.: 97-56-3)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
5-硝基-鄰-甲苯胺 (2-Amino-4- nitrotoluene) (CAS No.: 99-55-8)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 6 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
對氯苯胺 (p-Chloroaniline) (CAS No.: 106-47-8)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
2,4-二氨基苯甲醚 (2,4-diaminoanisole) (CAS No.: 615-05-4)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
4,4'-二胺基二苯甲烷 (4,4'- Diaminodiphenylmethane) (CAS No.: 101-77-9)	參考LFGB BVL B 82.02-2: 2013.以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
3,3'-二氯聯苯胺 (3,3'- Dichlorobenzidine) (CAS No.: 91-94-1)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
3,3'-二甲氧基聯苯胺 (3,3'- Dimethoxybenzidine) (CAS No.: 119- 90-4)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
二甲基聯苯胺 (3,3'-Dimethylbenzidine) (CAS No.: 119-93-7)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 7 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
3.3'-二甲基-4.4'二氨基二苯甲烷/ 4,4'-亞甲基二-鄰-苯胺 (3,3'-Dimethyl-4,4'-diaminodiphenylmethane / 4,4'-methylenedi-o-toluidine) (CAS No.: 838-88-0)	參考LFGB BVL B 82.02-2: 2013.以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
2-甲氧基-5-甲基聯苯 (p-Cresidine) (CAS No.: 120-71-8)	参考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
4,4'-亞甲基-雙(2-氯苯胺) (4,4'- Methylene-bis-(2-chloroaniline)) (CAS No.: 101-14-4)	参考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
4,4'-二胺基二苯醚 (4,4'-Oxydianiline) (CAS No.: 101-80-4)	参考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
4,4'-硫代雙苯胺 (4,4'-Thiodianiline) (CAS No.: 139-65-1)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
鄰-甲苯胺 (o-Toluidine) (CAS No.: 95-53-4)	參考LFGB BVL B 82.02-2: 2013.以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 8 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
4-甲基-間-苯二胺 / 2,4-二氨基甲苯 (TDA) (4-Methyl-m-phenylenediamine / 2,4- Toluylendiamine (TDA)) (CAS No.: 95- 80-7)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
2,4,5-三甲基苯胺 (2,4,5- Trimethylaniline) (CAS No.: 137-17-7)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
鄰-甲氧基苯胺 (o-Anisidine) (CAS No.: 90-04-0)	参考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
4-胺基偶氮苯 (4-Aminoazobenzene) (CAS No.: 60-09-3)	参考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
2,4-二甲基苯胺 (2,4-Xylidine) (CAS No.: 95-68-1)	參考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
2,6-二甲基苯胺 (2,6-Xylidine) (CAS No.: 87-62-7)	参考LFGB BVL B 82.02-2: 2013 · 以氣相層析質譜儀 & 高效液相層析儀/二極體陣列偵測器分析。(With reference to LFGB BVL B 82.02-2: 2013, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 9 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
氧化雙三丁基錫 (TBTO) (Bis(tributyltin)	由三丁基錫測試結果計算得之。	mg/kg	0.03▲	n.d.	-
oxide (TBTO)) (CAS No.: 56-35-9)	(Calculated from the result of Tributyl Tin (TBT).)				
三苯基錫 (TPT) (Triphenyl tin (TPT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
二丁基錫 (DBT) (Dibutyl tin (DBT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
	参考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	_
	焰光度偵測器分析。(With reference to	ing/kg	0.03	11.0.	
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
四丁基錫 (TeBT) (Tetrabutyl tin (TeBT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
單辛基錫 (MOT) (Monooctyl tin (MOT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
BETHON (MADE)	performed by GC/FPD.)		0.00	<u> </u>	
單丁基錫 (MBT) (Monobutyl tin (MBT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was performed by GC/FPD.)				
	performed by GC/TPD.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 10 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
三環己基錫 (TcyT) (Tricyclohexyltin	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
(TcyT))	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
雙酚A (Bisphenol A) (CAS No.: 80-05-7)	參考RSTS-CHEM-239-1,以液相層析串聯	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to RSTS-				
	CHEM-239-1, analysis was performed by				
	LC/MS/MS.)				
富馬酸二甲酯 (DMFu) (Dimethyl	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	0.1	n.d.	-
fumarate (DMFu)) (CAS No.: 624-49-7)	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
磷酸三(2-氯乙基)酯 (TCEP) (Tris(2-	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	-
chloroethyl) phosphate (TCEP)) (CAS	質譜儀分析。(With reference to US EPA				
No.: 115-96-8)	3550C: 2007, analysis was performed by				
	GC/MS.)				
磷酸三(1,3-二氯異丙基)酯 (Tris(1,3-	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	-
dichloro-2-propyl) phosphate) (CAS	質譜儀分析。(With reference to US EPA				
No.: 13674-87-8)	3550C: 2007, analysis was performed by				
	GC/MS.)				
磷酸三(2,3-二氯丙基)酯 (Tris(2,3-	參考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	5	n.d.	-
dichloropropyl) phosphate) (CAS No.:	質譜儀分析。(With reference to US EPA				
78-43-3)	3550C: 2007, analysis was performed by				
	GC/MS.)				
三氯沙 (Triclosan) (CAS No.: 3380-34-5)	參考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	5	n.d.	-
	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
2-[2-羥基-3',5'-二-叔-丁基苯基]-苯並三	參考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	5	n.d.	-
唑 (紫外線吸收劑320) (2-benzotriazol-2-	質譜儀分析。(With reference to US EPA				
yl-4,6-di-tert-butylphenol (UV-320))	3550C: 2007, analysis was performed by				
(CAS No.: 3846-71-7)	GC/MS.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 11 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
甲醛 (Formaldehyde) (CAS No.: 50-00-	参考ISO 17226-1: 2021 · 以液相層析儀/	mg/kg	3	n.d.	-
0)	二極體陣列偵測器分析。(With reference				
	to ISO 17226-1: 2021, analysis was				
	performed by LC/DAD.)				
四溴雙酚 A (TBBP-A)	參考RSTS-E&E-121·以液相層析儀/質譜	mg/kg	10	n.d.	-
(Tetrabromobisphenol A (TBBP-A))	儀分析。(With reference to RSTS-E&E-				
(CAS No.: 79-94-7)	121, analysis was performed by LC/MS.)				
六溴環十二烷及所有主要被辨別出的異構	參考IEC 62321: 2008 · 以氣相層析儀/質譜	mg/kg	5	n.d.	-
物(HBCDD) (α- HBCDD, β- HBCDD, γ-	儀分析。(With reference to IEC 62321:				
HBCDD) (Hexabromocyclododecane	2008, analysis was performed by				
(HBCDD) and all major	GC/MS.)				
diastereoisomers identified (α- HBCDD,					
β- HBCDD, γ- HBCDD)) (CAS No.:					
25637-99-4, 3194-55-6 (134237-51-7,					
134237-50-6, 134237-52-8))					
滅蟻靈 (Mirex) (CAS No.: 2385-85-5)	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	4	n.d.	-
	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
な 与 Whith (DCD) (D	GC/MS.)	/1	0.5		
多氯聯苯 (PCBs) (Polychlorinated	參考US EPA 3550C: 2007・以氣相層析儀/	mg/kg	0.5	n.d.	=
biphenyls (PCBs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by GC/MS.)				
多氯奈 (PCNs) (Polychlorinated		ma/ka	5	n d	
多凱宗 (PCINS) (POlychiofinated naphthalene (PCNs))	参考US EPA 355UC. 2007 · 以報相層作職/ 質譜儀分析。(With reference to US EPA	mg/kg	Э	n.d.	-
	3550C: 2007, analysis was performed by				
	GC/MS.)				
多氯三聯苯 (PCTs) (Polychlorinated	参考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	0.5	n.d.	
支銀二聯本 (PCTs) (POlychiofinated terphenyls (PCTs))	参考US EPA 555UC. 2007・以来相層机	mg/kg	0.5	11.0.	-
(i C13))	3550C: 2007, analysis was performed by				
	GC/MS.)				
	,				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 12 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
短鏈氯化石蠟(C10-C13) (SCCP) (Short Chain Chlorinated Paraffins(C10-C13) (SCCP)) (CAS No.: 85535-84-8)	參考ISO 18219-1: 2021‧以氣相層析儀/ 質譜儀分析。(With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
中鏈氯化石蠟(C14-C17) (MCCP) (Medium Chain Chlorinated Paraffins(C14-C17) (MCCP)) (CAS No.: 85535-85-9)	參考ISO 18219-2: 2021·以氣相層析儀/ 質譜儀分析。(With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2021 · 以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.)	**	-	Negative	-
氟氯碳化物 (Chlorofluorocarbons) (CFCs)					
CFC-11 (CAS No.: 75-69-4)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-12 (CAS No.: 75-71-8)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-13 (CAS No.: 75-72-9)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-111 (CAS No.: 354-56-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 13 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
CFC-112 (CAS No.: 76-12-0)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-113 (CAS No.: 76-13-1)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	1
CFC-114 (CAS No.: 76-14-2)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-115 (CAS No.: 76-15-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-211 (CAS No.: 422-78-6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-212 (CAS No.: 3182-26-1)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	1
CFC-213 (CAS No.: 2354-06-5)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-214 (CAS No.: 29255-31-0)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 14 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
CFC-215 (CAS No.: 4259-43-2)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-216 (CAS No.: 661-97-2)	參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-217 (CAS No.: 422-86-6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
氟氯氫烷碳化物 (Hydrochlorofluorocarbons) (HCFCs)					
HCFC-21 (CAS No.: 75-43-4)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-22 (CAS No.: 75-45-6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-31 (CAS No.: 593-70-4)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-121 (CAS No.: 354-14-3)	參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 15 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
HCFC-122 (CAS No.: 354-21-2)	參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-123 (CAS No.: 306-83-2)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-124 (CAS No.: 2837-89-0)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-131 (CAS No.: 359-28-4)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-141b (CAS No.: 1717-00-6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-221 (CAS No.: 422-26-4)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	1
HCFC-222 (CAS No.: 422-49-1)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-223 (CAS No.: 422-52-6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 16 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
HCFC-224 (CAS No.: 422-54-8)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-225ca (CAS No.: 422-56-0)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-225cb (CAS No.: 507-55-1)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-226 (CAS No.: 431-87-8)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-231 (CAS No.: 421-94-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-232 (CAS No.: 460-89-9)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-233 (CAS No.: 7125-84-0)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-234 (CAS No.: 425-94-5)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 17 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HCFC-235 (CAS No.: 460-92-4)	參考US EPA 5021A: 2014·以氣相層析儀/	mg/kg	1	n.d.	-
5	質譜儀分析。(With reference to US EPA				
5	5021A: 2014, analysis was performed by				
	GC/MS.)				
HCFC-241 (CAS No.: 666-27-3)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
5	5021A: 2014, analysis was performed by				
	GC/MS.)				
`	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	=
5	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HCFC-243 (CAS No.: 460-69-5)	參考US EPA 5021A: 2014·以氣相層析儀/	mg/kg	1	n.d.	-
5	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HCFC-251 (CAS No.: 421-41-0)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
5	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HCFC-252 (CAS No.: 819-00-1)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
5	質譜儀分析。(With reference to US EPA				
5	5021A: 2014, analysis was performed by				
	GC/MS.)				
,	參考US EPA 5021A: 2014·以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 18 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
HCFC-261 (CAS No.: 420-97-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-262 (CAS No.: 421-02-03)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	,
HCFC-271 (CAS No.: 430-55-7)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-133a (CAS No.: 75-88-7)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-142b (CAS No.: 75-68-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-132b (CAS No.: 1649-08-7)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	1
HCFC-141	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-142	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 19 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
HCFC-151	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-225	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
海龍 (Halons) Halon-1211 (CAS No.: 353-59-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
Halon-1301 (CAS No.: 75-63-8)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	1
海龍-2402 (Halon-2402) (CAS No.: 124-73-2)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
溴甲烷 (Bromomethane) (CAS No.: 74-83-9)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
不完全鹵化氟溴化物 (Hydrobromofluorocarbons) (HBFCs)					
HBFC-121B4 (C2HFBr4)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 20 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HBFC-122B3 (C2HF2Br3)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-123B2 (C2HF3Br2)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-124B1 (C2HF4Br)	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-131B3 (C2H2FBr3)	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-132B2 (C2H2F2Br2)	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-133B1 (C2H2F3Br)	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	=
	質譜儀分析。(With reference to US EPA	3 3			
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-141B2 (C2H3FBr2)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
, ,	質譜儀分析。(With reference to US EPA	<i>J, J</i>			
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-142B1 (C2H3F2Br)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
, , ,	質譜儀分析。(With reference to US EPA	J, J			
	5021A: 2014, analysis was performed by				
	GC/MS.)				
	<u>'</u> '				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 21 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HBFC-151B1 (C2H4FBr)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-21B2 (CHFBr2) (CAS No.: 1868-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
53-7)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-221B6 (C3HFBr6)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-222B5 (C3HF2Br5)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-223B4 (C3HF3Br4)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-224B3 (C3HF4Br3)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-225B2 (C3HF5Br2)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-226B1 (C3HF6Br)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 22 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HBFC-22B1 (CHF2Br) (CAS No.: 1511-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
62-2)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-231B5 (C3H2FBr5)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-232B4 (C3H2F2Br4)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-233B3 (C3H2F3Br3)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-234B2 (C3H2F4Br2)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-235B1 (C3H2F5Br)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-241B4 (C3H3FBr4)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-242B3 (C3H3F2Br3)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 23 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
11056 04000 (60110500 0)	4 */ IC FD FOOT OOT D/C D/C C/C		-	No.1	
HBFC-243B2 (C3H3F3Br2)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-244B1 (C3H3F4Br)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-251B3 (C3H4FBr3)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-252B2 (C3H4F2Br2)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-253B1 (C3H4F3Br)	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-261B2 (C3H5FBr2)	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-262B1 (C3H5F2Br)	参考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HBFC-271B1 (C3H6FBr)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
	!				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 24 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
HBFC-31B1 (CH2FBr) (CAS No.: 373-52-4)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
氫氟碳化合物 (Hydrofluorocarbon) (HFCs)					
HFC-23 (CHF3) (CAS No.: 75-46-7)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HFC-32 (CH2F2) (CAS No.: 75-10-5)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HFC-41 (CH3F) (CAS No.: 593-53-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HFC-43-10mee (C5H2F10)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HFC-125 (C2HF5)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HFC-134 (C2H2F4)	參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 25 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HFC-134a (CH2FCF3) (CAS No.: 811-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
97-2)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-143 (C2H3F3)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-143a (C2H3F3)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-152a (C2H4F2) (CAS No.: 75-37-6)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-227ea (C3HF7) (CAS No.: 431-89-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
0)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-236fa (CAS No.: 431-63-0)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-245ca (C3H3F5)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-245fa (C3H3F5)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 26 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HFC-365mfc (C4H5F5)	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-236ea (C3H2F6) (CAS No.: 431-63-	-	mg/kg	1	n.d.	-
0)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-236cb	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-161	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
HFC-152	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
全氟化碳 (Perfluorocarbon) (PFCs)					
全氟己烷 (Perfluorohexane) (CAS No.:	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
355-42-0)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
2-全氟甲基戊烷 (2-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
Perfluoromethylpentane) (CAS No.:	質譜儀分析。(With reference to US EPA				
355-04-4)	5021A: 2014, analysis was performed by				
	GC/MS.)				
全氟戊烷 (Perfluoro-n-pentane) (CAS	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
No.: 678-26-2)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 27 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
八氟環丁烷 (Freon C318) (CAS No.: 115-	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
25-3)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
十氟丁烷 (Decafluorobutane) (CAS No.:	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
355-25-9)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
八氟丙烷 (Freon 218) (CAS No.: 76-19-	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
7)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
六氟乙烷 (Fluorocarbon 116) (CAS No.:	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
76-16-4)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
四氟甲烷 (F14) (CAS No.: 75-73-0)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
全氟萘烷 (Perfluorodecalin) (CAS No.:	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
306-94-5)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
氯碳氫化物 (Chlorinate hydrocarbon)					
(CHCs)					
四氯甲烷 (四氯化碳) (Carbon	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
tetrachloride) (CAS No.: 56-23-5)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 28 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
1,1,1-三氯乙烷 (1,1,1-Trichloroethane) (CAS No.: 71-55-6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,1,1,2-四氯乙烷 (1,1,1,2- Tetrachloroethane) (CAS No.: 630-20- 6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,1,2,2-四氯乙烷 (1,1,2,2- Tetrachloroethane) (CAS No.: 79-34-5)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,1,2-三氯乙烷 (1,1,2-Trichloroethane) (CAS No.: 79-00-5)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,1-二氯乙烷 (1,1-Dichloroethane) (CAS No.: 75-34-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,1-二氯乙烯 (1,1-Dichloroethylene) (CAS No.: 75-35-4)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,1-二氯丙烯 (1,1-Dichloropropene) (CAS No.: 563-58-6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,2,3-三氯丙烷 (1,2,3-Trichloropropane) (CAS No.: 96-18-4)	參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 29 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
1,2-二氯乙烷 (1,2-Dichloroethane) (CAS	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
No.: 107-06-2)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
1,2-二氯丙烷 (1,2-Dichloropropane)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
(CAS No.: 78-87-5)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
1,3-二氯丙烷 (1,3-Dichloropropane)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
(CAS No.: 142-28-9)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
2,2-二氯丙烷 (2,2-Dichloropropane)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
(CAS No.: 594-20-7)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
氯仿 (Chloroform) (CAS No.: 67-66-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
氯甲烷 (Chloromethane) (CAS No.: 74-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
87-3)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
順-1,2-二氯乙烯 (cis-1,2-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
Dichloroethene) (CAS No.: 156-59-2)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
順-1,3-二氯丙烯 (cis-1,3-	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
Dichloropropene) (CAS No.: 10061-01-	質譜儀分析。(With reference to US EPA				
5)	5021A: 2014, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 30 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目 (Tast Harra)	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result) No.1	(Limit)
二氯甲烷 (Dichloromethane) (CAS No.: 75-09-2)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
四氯乙烯 (Tetrachloroethene) (CAS No.: 127-18-4)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
反-1,2-二氯乙烯 (trans-1,2- Dichloroethene) (CAS No.: 156-60-5)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
反-1,3-二氯丙烯 (trans-1,3- Dichloropropene) (CAS No.: 10061-02- 6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
三氯乙烯 (Trichloroethylene) (CAS No.: 79-01-6)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
氯乙烷 (Chloroethane) (CAS No.: 75-00-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
六氯-1,3-丁二烯 (Hexachlorobutadiene) (CAS No.: 87-68-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
溴氯甲烷 (Bromochloromethane) (CAS No.: 74-97-5)	參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 31 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
六氟化硫 (SF6) (Sulphur hexafluoride	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
(SF6)) (CAS No.: 2551-62-4)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
1-溴丙烷 (1-Bromopropane) (CAS No.:	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	=
106-94-5)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
溴乙烷 (Bromoethane) (CAS No.: 74-96-	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	=
4)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
三氟碘甲烷 (Trifluoroiodomethane)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	=
(CAS No.: 2314-97-8)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
2-溴-3,3,3-三氟丙烯 (2-Bromo-3,3,3-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
trifluoroprop-1-ene) (CAS No.: 1514-	質譜儀分析。(With reference to US EPA				
82-5)	5021A: 2014, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 32 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到/未檢出); Positive = Detectable 陽性(已偵測到/檢出)
- 7. 石綿定性分析試驗範圍: <0.1%~100%,石綿鑑定的判定基準是以檢出含有石綿纖維為『Positive』,未檢出石綿纖維為『Negative』。(Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".)
- 8. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 換算公式 (Conversion Formula): AX = A × F

AX	Α	F
氧化雙三丁基錫 (Bis(tributyltin)oxide) (TBTO)	三丁基錫 (Tributyl Tin) (TBT)	1.0276

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

9. 除非另有說明,參照ILAC-G8:09/2019決定規則,採用簡單允收規則之二分法(w=0)進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 33 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

PAHs Remark:

△ 德國產品安全委員會(AfPS): GS PAHs 要求

AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第 2 類(Cate	egory 2)	第 3 類(Cate	egory 3)
項目 (Parameter)	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended	skin contact (> 30 s short-term repetitive the skin)	妙(長期皮膚接觸) (Materials that 1, with eable long-term econds) or ve contact with	不屬於第 1 類或第 2 圖或可預見與皮膚接 (短期皮膚接觸)(Mati covered by Categor intended or foresed term skin contact (s	觸不超過 30 秒 erials not ry 1 or 2, with eable short- ≦ 30 seconds))
	long-term skin contact (> 30 seconds))	a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer	a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer
Naphthalene	< 1	< 2		< 10	
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	< 1 3uiii	< 3 3uiii	< 10 3uiii	< 20 Julii	< 50 Suiti
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
15 項 PAH 總濃度 (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50

單位(Unit):mg/kg



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 34 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOOIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
	全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS)	1763-23-1
	全氟辛基磺酸鉀 (PFOS-K)	2795-39-3
	Potassium perfluorooctanesulfonate (PFOS-K)	
	全氟辛基磺酸鋰 (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	
	全氟辛基磺酸銨 (PFOS-NH ₄)	29081-56-9
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	
	全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctane sulfonate diethanolamine salt (PFOS-	
	NH(OH) ₂)	
	全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) ₄)	56773-42-3
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-	
	$N(C_2H_5)_4)$	
PFOS, 及其鹽&衍生物	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA)	251099-16-8
(PFOS, its salts & derivatives)	N-decyl-N,N-dimethyldecan-1-aminium	
	1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-	
	sulfonate (PFOS-DDA)	
	全氟辛基磺酸四丁基銨 (PFOS-N(C_4H_9) ₄)	111873-33-7
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C ₄ H ₉) ₄)	
	全氟辛基磺醯氟 (POSF)	307-35-7
	Perfluorooctane sulfonyl fluoride (POSF)	
	全氟辛基磺酸鎂 (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	
	全氟辛基磺酸鈉 (PFOS-Na)	4021-47-0
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	
	全氟辛烷磺酸哌啶	71463-74-6
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-	
	heptadecafluorooctanesulfonate	



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 35 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
	全氟辛烷磺酸鹽 Perfluorooctanesulfonate (anion)	45298-90-6
	全氟辛烷磺酸與 N,N-二乙基乙胺 (1:1) (PFOS-N(C_2H_5) ₃) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C_2H_5) ₃)	54439-46-2
	N,N,N-三甲基-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸甲銨(1:1) (PFOS-N(CH $_3$) $_4$) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(CH $_3$) $_4$)	56773-44-5
	$1-$ 五胺·N,N,N-三丙基-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸鹽(1:1) (PFOS-N(C_3H_7) $_3$ (C_5H_{11})) 1 -Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_3H_7) $_3$ (C_5H_{11}))	56773-56-9
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	1-丁銨·N,N-二丁基-N-甲基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- 十七氟-1-辛烷磺酸鹽 (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃)) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃))	124472-68-0
	碘鎓・雙[4-(1,1-二甲基乙基)苯基]-・1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8 - 十七氟-1-辛烷磺酸鹽 (1:1) lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	二苯基绪(2,4,6-三甲基苯基)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟- 1-辛烷磺酸鹽 (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	吡啶鎓 · 1-十六烷基- · 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 - 辛烷磺酸鹽 (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4
	1-癸胺·N,N,N-三乙基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛 烷磺酸鹽(1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 36 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
	全氟辛烷磺酸四丁基鳞 (PFOS-P(C ₄ H ₉) ₄)) Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C ₄ H ₉) ₄))	2185049-59-4
	全氟辛烷磺酸二乙胺鹽 (PFOS- $C_4H_{11}N$) Perfluorooctanesulfonic acid diethylamine salt (PFOS- $C_4H_{11}N$)	2205029-08-7
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	庚基二甲基 $\{2-[(2-甲基丙-2-烯酰基)氧基]乙基\}$ 全氟辛烷磺酸氮紮鹽 (PFOS- $C_{15}H_{30}NO_2$) Heptyldimethyl $\{2-[(2-methylprop-2-enoyl)oxy]ethyl\}$ azanium perfluorooctanesulfonate (PFOS- $C_{15}H_{30}NO_2$)	1203998-97-3
	1-辛烷磺酸·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-,1,1' -酸酐 (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	全氟辛酸 (Perfluorooctanoic acid) (PFOA)	335-67-1
	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
PFOA, 及其鹽&衍生物	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
(PFOA, its salts & derivatives)	全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	全氟辛酸鉻 (PFOA-Cr(3^+)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium($3+$) (PFOA-Cr(3^+))	68141-02-6
	全氟辛酸-哌嗪(2:1) PFOA-NH($C_4H_{10}N$) Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
	全氟辛酸鹽 Pentadecafluorooctanoate (anion)	45285-51-6
	全氟辛酸酐 Perfluorooctanoic Anhydride	33496-48-9



Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 37 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

群組名稱	物質名稱	CAS No.
(Group Name)	(Substance Name)	
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	乙銨·N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctanoate (1:1)	98241-25-9
	全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-丙銨·N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	辛酸・2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽·水合物 (1:1:2) (PFOA-K(H ₂ O) ₂) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H ₂ O) ₂)	98065-31-7
	辛酸・2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟- · 化合物。與乙胺 (1:1) (PFOA-C ₂ H ₇ N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C ₂ H ₇ N)	1376936-03-6
	十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA-C ₅ H ₅ N) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA-C ₅ H ₅ N)	95658-47-2
	十五氟辛酸-1-苯基哌嗪(1:1) (PFOA- $C_{10}H_{14}N_2$) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA- $C_{10}H_{14}N_2$)	1514-68-7
	1-辛胺·N,N,N-三甲基··2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) (PFOA- C ₁₁ H ₂₆ N) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C ₁₁ H ₂₆ N)	927835-01-6




Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 38 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025

頁數(Page): 39 of 53


國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

元素(含重金屬)分析流程圖 / Analytical flow chart of Elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【参考方法/Reference method: US EPA 3051、US EPA 3052】



* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.




Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025

頁數(Page): 40 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

石綿鑑定分析流程圖 / Analysis flow chart for determination of Asbestos 【參考方法(Reference method): EPA 600/R-93/116】





Test Report


號碼(No.): EKR25100124

日期(Date): 17-Jan-2025

頁數(Page): 41 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

紅磷分析流程 / Analytical flow chart - Red phosphorus






Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025

頁數(Page): 42 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

有機錫分析流程圖 / Analytical flow chart - Organic-Tin





Test Report


號碼(No.): EKR25100124

日期(Date): 17-Jan-2025

頁數(Page): 43 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

雙酚A分析流程圖 / Bisphenol A analytical flow chart






Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025

頁數(Page): 44 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

富馬酸二甲酯分析流程圖 / Analytical flow chart of Dimethyl Fumarate content






Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025

頁數(Page): 45 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

有機磷化合物分析流程圖 / Analytical flow chart - Organic phosphorus compounds






Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025

頁數(Page): 46 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

甲醛分析流程圖 / Analytical flow chart - Formaldehyde





Test Report


號碼(No.): EKR25100124

日期(Date): 17-Jan-2025

頁數(Page): 47 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

四溴雙酚-A分析流程圖 / TBBP-A analytical flow chart





Test Report


號碼(No.): EKR25100124

日期(Date): 17-Jan-2025

頁數(Page): 48 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report


號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 49 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT





Test Report


號碼(No.): EKR25100124

日期(Date): 17-Jan-2025

頁數(Page): 50 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC






Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR))
23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

多環芳香烴分析流程圖 / PAHs (Poly Aromatic Hydrocarbons) analytical flow chart



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 51 of 53




Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 52 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

揮發性有機化合物分析流程圖 / Analytical flow chart of volatile organic compounds (VOCs)

【參考方法/Reference method: US EPA 5021A】






Test Report

號碼(No.): EKR25100124 日期(Date): 17-Jan-2025 頁數(Page): 53 of 53

國巨股份有限公司(國巨/飛元/華亞) (YAGEO CORPORATION (YAGEO/PHYCOMP/COMPOSTAR)) 23145新北市新店區寶橋路233-1號3樓 (3F, NO. 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

EKR25100124



** 報告結尾 (End of Report) **