

Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025

頁數(Page): 1 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION)

桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) : 華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION)

樣品名稱(Sample Name) : MLCC PRODUCTS

樣品型號(Style/Item No.) : X5R

收件日(Sample Receiving Date) : 15-Apr-2025

測試期間(Testing Period) : 15-Apr-2025 to 23-Apr-2025

測試需求(Test Requested) : 依據客戶要求進行測試,測試項目請參閱測試結果表格。(Testing item(s)

is/are specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Chang / Department Malager Signed for and on behalf SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: E864293



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 2 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

No.2 : 1210X226K250CXMC / 112115011225

測試結果 (Test Results)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | | 果 sult) |
|--|--|--------------|-----|------|------------|
| (13311131113) | (| (31.11.6) | | No.1 | No.2 |
| 鎘 (Cd) (Cadmium (Cd)) | 參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | |
| 鉛 (Pb) (Lead (Pb)) | 參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | |
| 汞 (Hg) (Mercury (Hg)) | 參考IEC 62321-4: 2013+ AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | |
| 六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) | 參考IEC 62321-7-2: 2017·以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.) | mg/kg | 8 | n.d. | |



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 3 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

| 測試項目 | 測試方法 | 單位 | MDL | 結 | 果 |
|----------------------------------|---|--------|-----|------|-------|
| (Test Items) | (Method) | (Unit) | | (Res | sult) |
| | | | | No.1 | No.2 |
| 六價鉻 (Hexavalent Chromium) Cr(VI) | 參考IEC 62321-5: 2013, IEC | mg/kg | 8 | n.d. | |
| (•) | 62321-7-2: 2017‧以感應耦合電 | | | | |
| | 漿發射光譜儀、紫外光-可見光分光 | | | | |
| | 光度計分析。(With reference to | | | | |
| | IEC 62321-5: 2013, IEC 62321-7- | | | | |
| | 2: 2017, analysis was performed | | | | |
| | by ICP-OES, UV-VIS.) | | | | |
| 一溴聯苯 (Monobromobiphenyl) | | mg/kg | 5 | n.d. | |
| 二溴聯苯 (Dibromobiphenyl) | | mg/kg | 5 | n.d. | |
| 三溴聯苯 (Tribromobiphenyl) | | mg/kg | 5 | n.d. | |
| 四溴聯苯 (Tetrabromobiphenyl) | │ ・参考IEC 62321-6: 2015,以氣相層 | mg/kg | 5 | n.d. | |
| 五溴聯苯 (Pentabromobiphenyl) | 析儀/質譜儀分析。(With reference | mg/kg | 5 | n.d. | |
| 六溴聯苯 (Hexabromobiphenyl) | to IEC 62321-6: 2015, analysis | mg/kg | 5 | n.d. | |
| 七溴聯苯 (Heptabromobiphenyl) | was performed by GC/MS.) | mg/kg | 5 | n.d. | |
| 八溴聯苯 (Octabromobiphenyl) | was performed by de, wis., | mg/kg | 5 | n.d. | |
| 九溴聯苯 (Nonabromobiphenyl) | | mg/kg | 5 | n.d. | |
| 十溴聯苯 (Decabromobiphenyl) | | mg/kg | 5 | n.d. | |
| 多溴聯苯總和 (Sum of PBBs) | | mg/kg | - | n.d. | |
| 一溴聯苯醚 (Monobromodiphenyl ether) | | mg/kg | 5 | n.d. | |
| 二溴聯苯醚 (Dibromodiphenyl ether) | | mg/kg | 5 | n.d. | |
| 三溴聯苯醚 (Tribromodiphenyl ether) | | mg/kg | 5 | n.d. | |
| 四溴聯苯醚 (Tetrabromodiphenyl ether) | ┣ ◆ 考IEC 62321-6: 2015 · 以氣相層 | mg/kg | 5 | n.d. | |
| 五溴聯苯醚 (Pentabromodiphenyl ether) | 析儀/質譜儀分析。(With reference | mg/kg | 5 | n.d. | |
| 六溴聯苯醚 (Hexabromodiphenyl ether) | to IEC 62321-6: 2015, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | |
| 七溴聯苯醚 (Heptabromodiphenyl ether) | | mg/kg | 5 | n.d. | |
| 八溴聯苯醚 (Octabromodiphenyl ether) | | mg/kg | 5 | n.d. | |
| 九溴聯苯醚 (Nonabromodiphenyl ether) | | mg/kg | 5 | n.d. | |
| 十溴聯苯醚 (Decabromodiphenyl ether) | | mg/kg | 5 | n.d. | |
| 多溴聯苯醚總和 (Sum of PBDEs) | | mg/kg | - | n.d. | |



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

| 測試項目 | 測試方法 | 單位 | MDL | 結 | 果 |
|--------------------------------------|--------------------------------|--------|-----|------|-------|
| (Test Items) | (Method) | (Unit) | | (Res | sult) |
| | | | | No.1 | No.2 |
| 鄰苯二甲酸丁苯甲酯 (BBP) (Butyl | 參考IEC 62321-8: 2017 · 以氣相層 | mg/kg | 50 | n.d. | |
| benzyl phthalate (BBP)) | 析儀/質譜儀分析。(With reference | | | | |
| | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |
| 鄰苯二甲酸二丁酯 (DBP) (Dibutyl | 參考IEC 62321-8: 2017 · 以氣相層 | mg/kg | 50 | n.d. | |
| phthalate (DBP)) | 析儀/質譜儀分析。(With reference | | | | |
| | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |
| 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) | 參考IEC 62321-8: 2017 · 以氣相層 | mg/kg | 50 | n.d. | |
| (Di-(2-ethylhexyl) phthalate (DEHP)) | 析儀/質譜儀分析。(With reference | | | | |
| | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |
| 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl | 參考IEC 62321-8: 2017 · 以氣相層 | mg/kg | 50 | n.d. | |
| phthalate (DIBP)) | 析儀/質譜儀分析。(With reference | | | | |
| | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |
| 鄰苯二甲酸二異癸酯 (DIDP) | 參考IEC 62321-8: 2017 · 以氣相層 | mg/kg | 50 | n.d. | |
| (Diisodecyl phthalate (DIDP)) (CAS | 析儀/質譜儀分析。(With reference | | | | |
| No.: 26761-40-0, 68515-49-1) | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |
| 鄰苯二甲酸二異壬酯 (DINP) | 參考IEC 62321-8: 2017 · 以氣相層 | mg/kg | 50 | n.d. | |
| (Diisononyl phthalate (DINP)) (CAS | 析儀/質譜儀分析。(With reference | | | | |
| No.: 28553-12-0, 68515-48-0) | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |
| 鄰苯二甲酸二正辛酯 (DNOP) (Di-n- | 參考IEC 62321-8: 2017 · 以氣相層 | mg/kg | 50 | n.d. | |
| octyl phthalate (DNOP)) (CAS No.: | 析儀/質譜儀分析。(With reference | | | | |
| 117-84-0) | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |
| 鄰苯二甲酸二正戊酯 (DNPP) (Di-n- | 參考IEC 62321-8: 2017 · 以氣相層 | mg/kg | 50 | n.d. | |
| pentyl phthalate (DNPP)) (CAS No.: | 析儀/質譜儀分析。(With reference | | | | |
| 131-18-0) | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 4 of 20



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 5 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

| 測試項目 | 測試方法 | 單位 | MDL | 結 | |
|--|---------------------------------|--------|-----|------|------|
| (Test Items) | (Method) | (Unit) | | (Res | |
| | | | | No.1 | No.2 |
| 鄰苯二甲酸二正己酯 (DNHP) (Di-n- | 參考IEC 62321-8: 2017 · 以氣相層 | mg/kg | 50 | n.d. | |
| hexyl phthalate (DNHP)) (CAS No.: | 析儀/質譜儀分析。(With reference | | | | |
| 84-75-3) | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |
| 鄰苯二甲酸二正庚酯 (Di-n-heptyl | 參考IEC 62321-8: 2017,以氣相層 | mg/kg | 50 | n.d. | |
| phthalate) (CAS No.: 3648-21-3) | 析儀/質譜儀分析。(With reference | | | | |
| | to IEC 62321-8: 2017, analysis | | | | |
| | was performed by GC/MS.) | | | | |
| 六溴環十二烷及所有主要被辨別出的異構 | 參考IEC 62321-9: 2021 · 以氣相層 | mg/kg | 20 | n.d. | |
| 物(HBCDD) (α- HBCDD, β- HBCDD, γ- | 析儀/質譜儀分析。(With reference | | | | |
| HBCDD) (Hexabromocyclododecane | to IEC 62321-9: 2021, analysis | | | | |
| (HBCDD) and all major | was performed by GC/MS.) | | | | |
| diastereoisomers identified (α- | | | | | |
| HBCDD, β- HBCDD, γ- HBCDD)) (CAS | | | | | |
| No.: 25637-99-4, 3194-55-6 (134237- | | | | | |
| 51-7, 134237-50-6, 134237-52-8)) | | | | | |
| 氟 (F) (Fluorine (F)) (CAS No.: 14762- | 参考BS EN 14582: 2016,以離子 | mg/kg | 50 | n.d. | |
| 94-8) | 層析儀分析。(With reference to | | | | |
| | BS EN 14582: 2016, analysis was | | | | |
| | performed by IC.) | | | | |
| 氯 (CI) (Chlorine (CI)) (CAS No.: | 参考BS EN 14582: 2016,以離子 | mg/kg | 50 | n.d. | |
| 22537-15-1) | 層析儀分析。(With reference to | | | | |
| | BS EN 14582: 2016, analysis was | | | | |
| | performed by IC.) | | | | |
| 溴 (Br) (Bromine (Br)) (CAS No.: | 參考BS EN 14582: 2016,以離子 | mg/kg | 50 | n.d. | |
| 10097-32-2) | 層析儀分析。(With reference to | | | | |
| | BS EN 14582: 2016, analysis was | | | | |
| | performed by IC.) | | | | |
| 碘 (I) (Iodine (I)) (CAS No.: 14362-44- | 參考BS EN 14582: 2016,以離子 | mg/kg | 50 | n.d. | |
| 8) | 層析儀分析。(With reference to | | | | |
| | BS EN 14582: 2016, analysis was | | | | |
| | performed by IC.) | | | | |



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 6 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

| 測試項目 | 測試方法 | 單位 | MDL | | 果 |
|--|--|--------|------|------|---------------|
| (Test Items) | (Method) | (Unit) | | No.1 | sult) No.2 |
| 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | 參考DIN CEN/TS 15968: 2010 · 以 液相層析串聯質譜儀分析。(With reference to DIN CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | |
| 全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts) | 參考DIN CEN/TS 15968: 2010 · 以 液相層析串聯質譜儀分析。(With reference to DIN CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | |
| 鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7) | 參考US EPA 3052: 1996·以感應 耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.) | mg/kg | 2 | n.d. | |
| 銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0) | 參考US EPA 3052: 1996·以感應 耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.) | mg/kg | 2 | n.d. | |
| 紅磷 (Red Phosphorus) | 以熱裂解-氣相層析儀/質譜儀分析。(Analysis was performed by Pyrolyzer-GC/MS.) | ** | - | | Negative |



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 7 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. "---" = Not Conducted (未測試項目)
- 6. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 7. Negative = Undetectable 陰性(未偵測到/未檢出); Positive = Detectable 陽性(已偵測到/檢出)
- 8. (*):

若鉻含量小於六價鉻之方法偵測極限值,則六價鉻為n.d.,不須再測試六價鉻。

The result of Cr(VI) is "n.d." as the result of Chromium (Cr) is less than the MDL of Cr(VI), and confirmation test of Cr(VI) is not required.

若鉻含量未小於六價鉻之方法偵測極限值,需進行六價鉻測試。

If the Chromium (Cr) content is not less than the MDL of Cr(VI), confirmation test of Cr(VI) is required.

9. For No.1: 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量。 The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 8 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。) (The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

| 群組名稱 | 物質名稱 | CAS No. |
|---------------------------------|---|-------------|
| (Group Name) | (Substance Name) | |
| | 全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS) | 1763-23-1 |
| | 全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K) | 2795-39-3 |
| | 全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) | 29457-72-5 |
| | 全氟辛基磺酸銨 (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄) | 29081-56-9 |
| | 全氟辛基磺酸二乙醇銨 (PFOS-NH(C2H4OH)2) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(C2H4OH)2) | 70225-14-8 |
| PFOS, 及其鹽&衍生物 | 全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) ₄) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C_2H_5) ₄) | 56773-42-3 |
| (PFOS, its salts & derivatives) | 全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA) | 251099-16-8 |
| | 全氟辛基磺酸四丁基銨 (PFOS-N(C $_4$ H $_9$) $_4$) TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C $_4$ H $_9$) $_4$) | 111873-33-7 |
| | 全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF) | 307-35-7 |
| | 全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg) | 91036-71-4 |
| | 全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na) | 4021-47-0 |



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 9 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

| 群組名稱 | 物質名稱 | CAS No. |
|--|--|-------------|
| (Group Name) | (Substance Name) | |
| | 全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate | 71463-74-6 |
| | 全氟辛烷磺酸鹽 Perfluorooctanesulfonate (anion) | 45298-90-6 |
| | 全氟辛烷磺酸與 N,N-二乙基乙胺 (1:1) (PFOS-N(C_2H_5) $_3$) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C_2H_5) $_3$) | 54439-46-2 |
| | N,N,N-三甲基-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸甲銨 (1:1) (PFOS-N(CH ₃) ₄) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(CH ₃) ₄) | 56773-44-5 |
| | 1-五胺·N,N,N-三丙基-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛 烷磺酸鹽(1:1) (PFOS-N(C ₃ H ₇) ₃ (C ₅ H ₁₁)) 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C ₃ H ₇) ₃ (C ₅ H ₁₁)) | 56773-56-9 |
| PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives) | 1-丁銨·N,N-二丁基-N-甲基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- 十七氟-1-辛烷磺酸鹽 (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃)) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃)) | 124472-68-0 |
| | 碘鎓・雙[4-(1,1-二甲基乙基)苯基]-・1,1,2,2,3,3,4,4,5,5,6,6,7,7 ,8,8,8 - 十七氟-1-辛烷磺酸鹽 (1:1) lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) | 213740-80-8 |
| | 三苯基鍺(2,4,6-三甲基苯基)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-+ 七氟-1-辛烷磺酸鹽 (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) | 258341-99-0 |
| | 吡啶翁 · 1-十六烷基 · · 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 - 辛烷磺酸鹽 (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) | 334529-63-4 |
| | 1-癸胺·N,N,N-三乙基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟- 1-辛烷磺酸鹽(1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) | 773895-92-4 |



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 10 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

| 群組名稱 | 物質名稱 | CAS No. |
|--|--|--------------|
| (Group Name) | (Substance Name) | |
| | 全氟辛烷磺酸四丁基磷 (PFOS-P(C_4H_9) ₄)) Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C_4H_9) ₄)) | 2185049-59-4 |
| | 全氟辛烷磺酸二乙胺鹽 (PFOS- $C_4H_{11}N$) Perfluorooctanesulfonic acid diethylamine salt (PFOS- $C_4H_{11}N$) | 2205029-08-7 |
| PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives) | 庚基二甲基{2-[(2-甲基丙-2-烯酰基)氧基]乙基}全氟辛烷磺酸氮紮 鹽 (PFOS-C ₁₅ H ₃₀ NO ₂) Heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium perfluorooctanesulfonate (PFOS-C ₁₅ H ₃₀ NO ₂) | 1203998-97-3 |
| | 1-辛烷磺酸 · 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-,1,1' -酸酐 (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-, 1,1'-anhydride (PFOSAN) | 423-92-7 |
| | 全氟辛酸 (Perfluorooctanoic acid) (PFOA) | 335-67-1 |
| | 全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na) | 335-95-5 |
| | 全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K) | 2395-00-8 |
| | 全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag) | 335-93-3 |
| | 全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F) | 335-66-0 |
| PFOA, 及其鹽&衍生物 | 全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO) | 3825-26-1 |
| (PFOA, its salts & derivatives) | 全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li) | 17125-58-5 |
| | 全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co) | 35965-01-6 |
| | 全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs) | 17125-60-9 |
| | 全氟辛酸鉻 (PFOA-Cr(3*)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3*)) | 68141-02-6 |
| | 全氟辛酸-哌嗪(2:1) PFOA-NH($C_4H_{10}N$) Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH($C_4H_{10}N$) | 423-52-9 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 11 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

| 群組名稱 (Group Name) | 物質名稱 (Substance Name) | CAS No. |
|--|--|--------------|
| | 全氟辛酸鹽 Pentadecafluorooctanoate (anion) | 45285-51-6 |
| | 全氟辛酸酐 Perfluorooctanoic Anhydride | 33496-48-9 |
| | 乙銨·N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctanoate (1:1) | 98241-25-9 |
| | 全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat | 32609-65-7 |
| | 1-丙銨·N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) | 277749-00-5 |
| PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives) | 辛酸 \cdot 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽 \cdot 水合物 (1:1:2) (PFOA-K(H_2O) ₂) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H_2O) ₂) | 98065-31-7 |
| | 辛酸·2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-·化合物。與乙胺 (1:1) (PFOA-C ₂ H ₇ N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C ₂ H ₇ N) | 1376936-03-6 |
| | 十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA- C_5H_5N) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA- C_5H_5N) | 95658-47-2 |
| | 十五氟辛酸-1-苯基哌嗪(1:1) (PFOA- $C_{10}H_{14}N_2$) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA- $C_{10}H_{14}N_2$) | 1514-68-7 |
| | 1-辛胺·N,N,N-三甲基··2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) (PFOA- C ₁₁ H ₂₆ N) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C ₁₁ H ₂₆ N) | 927835-01-6 |



Test Report


號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 12 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 13 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 14 of 20




Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 15 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 16 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 17 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025

頁數(Page): 18 of 20


華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.




Test Report

號碼(No.): ETR25403262 日期(Date): 23-Apr-2025 頁數(Page): 19 of 20

華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

紅磷分析流程 / Analytical flow chart - Red phosphorus





Test Report

號碼(No.): ETR25403262

日期(Date): 23-Apr-2025

頁數(Page): 20 of 20


華新科技股份有限公司 (WALSIN TECHNOLOGY CORPORATION) 桃園市楊梅區高獅路566-1號 (566-1, KAO-SHI ROAD, YANG-MEI, TAO YUAN 32668, TAIWAN, R. O. C.)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR25403262 NO.1



ETR25403262 NO.2



** 報告結尾 (End of Report) **